

# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Anping Tug	Atug	N/A			
	Astrotube	AST	Inside, Outside	Otto	Sanitize every 2 weeks or as needed	Outside only for NHP. Do not use with post surgical swine or sheep Single chain- 3 links or covered.
	Astroturf foraging boards	AFB	Inside, Outside		Sanitize every 2 weeks or as needed.	May be made of a variety of different materials, metal, plexiglass and astroturf. Treats may be used on boards to increase foraging opportunities. Single chain- 3 links or covered. This item should be hung on the outside of the NHP cage.
	Axis Bone	AB	N/A	ASAP	Sanitize every 2 weeks or as needed	
	Best balls	BB	N/A	bio-serv	Sanitize every 2 weeks or as needed	Use size appropriate for cage/animal. Sand or water can be added to blue one
	Bionic Stuffer	BS	N/A		Sanitize every 2 weeks or as needed	Difficult to clean






# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Biscuit Puzzle Feeder	BPF	Outside	ASAP	Sanitize every 2 weeks or as needed	Large foraging puzzle feeder can fit NHP biscuits
	Blue Knob	BK	N/A	unknown	Sanitize every 2 weeks or as needed.	
	Bowser Ball	Bow	N/A	Otto, Amazon		S, M, L available
	Bubble machine	BM	N/A	amazon	Clean as needed.	Animals observe bubbles to provide some additional sensory enrichment. Supervised only
	Bullet Feeder	BUF	Inside, Outside		Sanitize every 2 weeks or as needed.	Single chain- 3 links or covered. Remove overnight if inside
	Busy buddy football	BF	N/A	Bio-serv	Sanitize every 2 weeks or as needed	







# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Cardboard	C	Inside, Outside	recycled	Items are unable to be cleaned/sanitized. Once placed in cage item may be transferred into clean caging. Dispose of when soiled	Used as shelter or as destructible foraging Autoclave except for NHP, Cat, Swine
	cardboard tubes	CT	Inside, N/A, Outside		Items are unable to be cleaned/sanitized. Once placed in cage item may be transferred into clean caging. Dispose of when soiled or at cage change	Tubes are made from cardboard and come in a variety of sizes. Tubes may be used as chewing devices, shelter or to build nests. Autoclave except for NHP, Cat, Swine. Small tubes must be cut lengthwise for rats.
	chew stick	CS	Inside, N/A, Outside		Items are unable to be cleaned/sanitized. Once placed in cage, wood enrichment may be transferred into clean caging. Dispose of when soiled, splintered or brittle	Certified wood sticks of various sizes used by animals to chew, gnaw, manipulate, or perch
	Crumble disk holder	CDH	Outside	bio-serv	Sanitize every 2 weeks or as needed Foraging feeders should be emptied before going through cage wash	Approved to have multiple short chains, works with crumble disks
	Dental Star	DS	N/A	bio-serv	Sanitize every 2 weeks or as needed	
	Dumbbells	DBB	N/A	Bio-serv	Sanitize every 2 weeks or as needed	







# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Durachew	DC	N/A	bio-serv	Sanitize every 2 weeks or as needed	
	Finger board	FIB	Outside	bio-serv	Sanitize every 2 weeks or as needed, foraging devices should be emptied before going to cage wash	Works well on top or on front of cage
	Fleece board	FB	Outside	bio-serv	Sanitize every 2 weeks or as needed. Discard fleece when torn or excessively soiled	Single chain- 3 links or covered.
	Flexi-keys	FK	Inside, N/A, Outside	Bio-serv	Sanitize every 2 weeks or as needed.	If hanging single chain- 3 links or covered.
	Foraging ball	FOB	Inside, Outside		Sanitize every 2 weeks or as needed	Green foraging ball- easier version of super challenger
	Foraging Floor	FF	N/A	Primate Products	Sanitize every 2 weeks or as needed	A modified floor pan that can hold foraging substrates Remove on weekends

# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Foraging tub	FT	N/A	amazon/	Replace and dispose of water daily Clean every 2 weeks or when as needed if attached to cage Separate tubs clean as soon as removed from animal	Box or tray filled with water or another approved foraging substrate Do not leave in cage overnight
	Goodie bone	GB	N/A	bio-serv	Sanitize every 2 weeks or as needed.	
	Goughnuts-stick	GN	N/A	amazon	Sanitize every 2 weeks or as needed.	
	Grenades	G	N/A	Bio-serv	Sanitize every 2 weeks or as needed.	
	Havaballs	HVB	N/A	Bio-serv	Sanitize every 2 weeks or as needed.	
	Hol-EE Mol-EE	HM	N/A	Bio-serv, Amazon	Sanitize every 2 weeks or as needed.	Soft- watch excessive chewers







# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Jack for Joy	JFJ	N/A	ASAP	Sanitize every 2 weeks or as needed	
	Jolly Ball	JB	Inside, N/A		Sanitize every 2 weeks or clean as needed. Can melt in cage wash if cycle too hot	If hanging single chain- 3 links or covered. Use appropriate size
	Jumpin Jacks	JJ	N/A	Bio-serv	Sanitize every 2 weeks or as needed.	
	Kong dental chew	KDC	N/A	bio-serv	Sanitize every 2 weeks or as needed.	
	Kong, classic	K	Inside, N/A, Outside		Sanitize every 2 weeks or as needed	Available with and without chain- single chain 3 links or covered. Obtain appropriate size. Red/Blue/Black denote different levels of durability
	Laser Light	LA	N/A	amazon	Clean as appropriate.	Supervised only

# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Lucky Clover	LC	N/A	bio serv	Sanitize every 2 weeks or as needed.	
	mirror cylinder	MC	N/A		Sanitize every 2 weeks or as needed.	
	Monkey shine mirror	MSM	Inside, N/A, Outside	bio-serv otto	Sanitize every 2 weeks or as needed	stainless steel mirror Available with and without chains- single chain 3 links or covered
	Monkey Swing	MS	Inside	unknown	Sanitize every 2 weeks, clean as needed.	Chain should be no more than 3 links long or covered with PVC or tubing that prevents looping
	Mullet Head	Mul	N/A	amazon	Sanitize every 2 weeks or as needed	
	Mural	Mu	Outside	recycled/ in house	Replace if soiled, machine wash or discard as appropriate	Place out of reach of animals

# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Nobbly Wobbly	NW	N/A	Bio-serv	Sanitize every 2 weeks or as needed	soft- excessive chewers will destroy
	Nylabone	NB	N/A	bio-serv/ otto/amazon	Sanitize every 2 weeks or as needed	Use size/shape appropriate for species. Use caution with any shape with a loop or hole. Only for acetated mice
	Nylabone Galileo	GAL	N/A	amazon, otto		
	Nylabone Proaction Bone	NPB	N/A	amazon, bio serv	Sanitize every 2 weeks or as needed.	
	Orian Hanger	OH	Outside	Otto	Sanitize every 2 weeks or as needed	Single chain- 3 links or covered.
	Paint Roller	PR	Outside			Hang on approved rod or with single chain- 3 links or covered. Remove overnight




# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Paper Bags	PAP	N/A		Replace and dispose of when soiled or damaged	Use size appropriate for cage/animal. No handles.
	Plush "companion" toys		N/A		Discard when damaged, look for holes, loose threads	ONLY WITH VETERINARY APPROVAL- used case by case for single housed- watch closely for signs of ingestion
	Popcorn Maker	PM	N/A		Sanitize/Clean after every use.	PI approval must be given for food treats. Place out of reach of animals and where it will not get wet or soiled.
	Precious Gem	PG	N/A	bio-serv	Sanitize every 2 weeks or as needed	
	Primahedron	PRH	Inside	primate products	Sanitize every 2 weeks or as needed.	Affixed with a bolt into cage
	Primate 2 Tube	P2T	N/A	otto	Sanitize every 2 weeks or as needed Foraging devices should be emptied before going through cage wash	

# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Primate Tube	Ptu	N/A	Otto		PVC with holes and cap
	Puzzle toss	PZT	N/A	primate products	Sanitize every 2 weeks or as needed Foraging devices should be emptied before going through cagewash	Company sells nutra toss pre-made treats to go in the puzzle toss
	PVC seed shaker	PVCS S	N/A		Sanitize every 2 weeks or as needed Foraging devices should be emptied before going through cage wash	
	PVC seed slider	PVCS-SS2	Outside		Sanitize every 2 weeks or as needed Foraging devices should be emptied before going through cage wash	Single chain- 3 links or covered. Do not leave on cage overnight
	PVC tube	PVCT	Inside, N/A, Outside		Sanitize every 2 weeks or as needed	Use appropriate size. Cannot be autoclaved. If applicable, watch for sharp edges due to gnawing
	PVC with ball	PVC-B	N/A	unknown	Sanitize every 2 weeks or as needed	

# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	PVC with holes	PVC-H	N/A	homemade	Sanitize every 2 weeks or as needed Foraging devices should be emptied before going to cage wash	
	Radio	R	N/A		Keep in an area where the item will not be soiled or wet.	Radio/CD player On for no more than 8 hours, low volume Instrumental music only for rabbits
	Rattle	RT	Inside, Outside	Bio-serv, made in house	Sanitize every 2 weeks or as needed	If hanging single chain- 3 links or covered. Can be placed loose inside cage w/o chain
	Shake a treat	SAT	Outside	bio-serv	Sanitize every 2 weeks or as needed Foraging devices should be emptied before going through cage wash	Single chain- 3 links or covered.
	Shake a treat Jr	JR	N/A	bio-serv	Sanitize every 2 weeks or as needed foraging devices should be emptied when sent to cagewash	must be completely empty before being washed
	Socialization	Varies by type of socialization	N/A	NA	NA	Positive human interaction, socialization with conspecifics outside cage social group as prescribed by Social Housing Coordinator






# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Sound Machine	SM	N/A	Amazon	Keep in an area where the item will not be soiled or wet	Nature sounds or white noise played Must be on a timer, no more than 8 hours
	Squeeze and toss football	SF	N/A	Bio-serv	Sanitize every 2 weeks or as needed	Soft- watch excessive chewers Not approved for rabbits
	Squirrel dude	SD	N/A	ASAP	Sanitize every 2 weeks or as needed	
	Stainless steel mirror ball	SSB	N/A	bio-serv/2 sizes ASAP	Sanitize every 2 weeks or as needed	
	Super challenger	SC	Inside, Outside	bio-serv	Sanitize every 2 weeks or as needed Foraging feeders should be emptied before going through cagewash	Single chain- 3 links or covered.
	super saucer	SUS	Inside, N/A, Outside		Sanitize every 2 weeks or as needed	Available with or without chain- Single chain- 3 links or covered.







# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Super Treads Gorilla	Gor	N/A	amazon	Sanitize every 2 weeks or as needed	
	Tap a box	TAB	Outside	bio-serv	Sanitize every 2 weeks or as needed Foraging feeders should be empty when sent through cagewash	Single chain- 3 links or covered.
	Taz Balls	TZB	N/A	Bio-serv-discontinued?	Sanitize every 2 weeks or as needed	
	Texas T-Bone	TT2	N/A	bio-serv	Sanitize every 2 weeks or as needed	
	The Zigg	ZI	N/A	Otto-environmental	Sanitize every 2 weeks or as needed	
	Tire Biter	Ti	Inside, N/A, Outside	bio serv	Sanitize every 2 weeks or as needed	Available with and without chain-Single chain- 3 links or covered.



# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Treats	See individual logs	Inside, N/A, Outside		If not consumed within 24hrs remove and discard	Treats may be used for positive reinforcement training, to increase the novelty of an enrichment item, to increase foraging opportunities. Treats may be frozen. Lab approval required
	Trident Y Bone	TYB	N/A	Otto	Sanitize every 2 weeks or as needed.	
	Tuf Toys Tug	TTT	N/A		Sanitize every 2 weeks or as needed	
	Tuff turf	TT	Outside	bio-serv	Sanitize every 2 weeks or as needed	Single chain- 3 links or covered.
	TV	TV	N/A		Keep in an area where the item will not be soiled or wet.	Television showing movies with an emphasis on nature programming On for no more than 8 hours
	Wire feeders	WF	Inside, Outside	bio-serv	Sanitize every 2 weeks or as needed	Single chain- 3 links or covered. Large for NHP small for rabbits

# Approved Enrichment Devices

## Non-human Primate

Image	Name	Abbr	Hanging?	Order Info	Cleaning/Disposal	Notes
	Z2	Z2	N/A	Otto-environmental	Sanitize every 2 weeks or as needed	
	Zoy	ZO	N/A	Otto-environmental	Sanitize every 2 weeks or as needed	
	Zybola	ZY	N/A	Otto-environmental	Sanitize every 2 weeks or as needed	two rubber toys with a metal joint
	Zyro	ZR	N/A	Otto-environmental	Sanitize every 2 weeks or as needed	